



ABB i-bus® KNX sensor PEONIA®

All in one for smarter life



- All in one
- Free combination
- Super slim
- Proximity sensor

ABB i-bus® KNX sensor PEONIA®

All in one for smarter life

ABB i-bus® KNX sensor PEONIA® is a highly smart panel integrated with lighting, temperature, electric doors and windows, air conditioning, floor heating, scene and proximity sensors. All these functions make your life smarter and easier than ever.



reddot award 2019
winner



A unique proximity sensor system that can automatically activate the background lights and scenario mode when you are close to the panel. In addition, the in-built sensor can monitor the temperature. Additional information like PM 2.5, VOC and humidity receive from the KNX bus can be displayed. This information can be displayed on the screen directly. When the air quality is bad, the sensor will open the window and air condition system automatically. This brings convenience and comfort to your daily life.

**All in one with smarter life.
ABB i-bus® KNX sensor PEONIA®
with frameless, slim and top
classical design to match your
imagination. All in one function
and free combination with
replaceable rocker to make your
daily life smarter than ever.**

**The intuitive design of room
temperature control and dynamic
display screen can offer humanized
using experience.**

Contents

006–007	Replaceable rocker and icons
008–009	Super slim design
010–011	Proximity sensor with LED pilot light
012–013	Intuitive UI design
014–015	Customized to your style
016–023	Catalogue
024–025	Notes


Free combination with replaceable rocker

Six different icons



Super slim design with fashionable style

9.5mm after flush mounted





Proximity sensor makes life easier

Even in a dark environment, the proximity sensor is in operation when your hands are close to the panel.


Colorful background light

7 colors for you to choose

In-build LED installed in the panel provides you with soft light for your home

RGB LED Ambient light







Control interface



Dimming



Blind control



Shutter control



Eco mode



Warning



Scene



Dynamic display, easy to read

Using intuitive design is as easy as saying “Hello”



Customized to your needs

Six different colors of rocker to choose

- 01 Matt Black
- 02 Matt Platinum
- 03 Matt Champagne Gold
- 04 Matt White
- 05 Gross White
- 06 Matt Silver



ABB i-bus® KNX sensor PEONIA®

Operation-functional overview

Program	ABB i-bus® Sensor PEONIA®					
	PEB/U2.0.1-xxx	PEB/U3.0.1-xxx	PEB/U5.0.1-xxx	PEBR/U2.0.1-xxx	PEBR/U3.0.1-xxx	PEBR/U5.0.1-xxx
						

KNX function						
Switching, rocker switch total	Y	Y	Y	Y	Y	Y
Switching, rocker switch left/right	Y	Y	Y	Y	Y	Y
Dimming, rocker switch total	Y	Y	Y	Y	Y	Y
Dimming, rocker switch left/right	Y	Y	Y	Y	Y	Y
Blind switch rocker total	Y	Y	Y	Y	Y	Y
Blind switch rocker total left/right	Y	Y	Y	Y	Y	Y
Short-long operation, switch rocker left/right	Y	Y	Y	Y	Y	Y
Value sender rocker switch total	Y	Y	Y	Y	Y	Y
Value sender rocker switch left/right	Y	Y	Y	Y	Y	Y
RGB LED function illumination + Status illumination	Y	Y	Y	Y	Y	Y
RGB LED Ambient illumination	Y	Y	Y	Y	Y	Y
Setting the RTC operating mode	Y	Y	Y	Y	Y	Y
Value sender, 2 objects, rocker switch left/right	Y	Y	Y	Y	Y	Y
Light scene extension units with light scene memory function	Y	Y	Y	Y	Y	Y
Step switch, switch rocker total	Y	Y	Y	Y	Y	Y
Step switch, switch rocker left/right	Y	Y	Y	Y	Y	Y
Multiple operation, rocker switch left/right	Y	Y	Y	Y	Y	Y
Proximity function	Y	Y	Y	Y	Y	Y
Energy saving function	Y	Y	Y	Y	Y	Y
Dynamic display				Y	Y	Y

Room temperature controller only						
RTC Capacitive touch button	-	-	-	Y	Y	Y
Vibration feedback	-	-	-	Y	Y	Y
Temperature reading	-	-	-	Y	Y	Y
Single/Master/Slave configuration	-	-	-	Y	Y	Y
RTC setting	-	-	-	Y	Y	Y
Base-load operation	-	-	-	Y	Y	Y
Illumination display	-	-	-	Y	Y	Y
Fan coil operation or heating and cooling	-	-	-	Y	Y	Y
5 Logic channels (incl. Priority, Logic gate, Staircase lighting, Delay, Min/max value transducer, Threshold value hysteresis, Light scene actuator)	Y	Y	Y	Y	Y	Y

ABB i-bus® KNX sensor PEONIA®



6342-825-101-500

ABB i-bus®KNX sensor PEONIA® control element 2/4-fold, FM

With integrated bus coupling unit and temperature sensor.
Proximity sensor, device locking and energy saving function.
Switch contact left/right. Replaceable rocker without icon.
Push button function: switching/dimming/blind/value sending/step-type switch/light-scene Individual programmable LED per rocker. Top and bottom ambient LED strip.
LED colour: red/green/yellow/blue/red-orange/violet/white.
Dimensions (L x W): 86 mm x 86 mm.

Description	Article code	Order code
Gross White	PEB/U2.0.1-002	2TAZ730200R0020
Matt White	PEB/U2.0.1-001	2TAZ730200R0010
Matt Black	PEB/U2.0.1-201	2TAZ730200R2010
Matt Silver	PEB/U2.0.1-131	2TAZ730200R1310
Matt Platinum	PEB/U2.0.1-151	2TAZ730200R1510
Matt Champagne Gold	PEB/U2.0.1-411	2TAZ730200R4110



6342-825-101-500

ABB i-bus®KNX sensor PEONIA® control element 3/6-fold, FM

With integrated bus coupling unit and temperature sensor.
Proximity sensor, device locking and energy saving function.
Switch contact left/right. Replaceable rocker without icon.
Push button function: switching/dimming/blind/value sending/step-type switch/light-scene Individual programmable LED per rocker. Top and bottom ambient LED strip.
LED colour: red/green/yellow/blue/red-orange/violet/white.
Dimensions (L x W): 86 mm x 86 mm.

Description	Article code	Order code
Gross White	PEB/U3.0.1-002	2TAZ730300R0020
Matt White	PEB/U3.0.1-001	2TAZ730300R0010
Matt Black	PEB/U3.0.1-201	2TAZ730300R2010
Matt Silver	PEB/U3.0.1-131	2TAZ730300R1310
Matt Platinum	PEB/U3.0.1-151	2TAZ730300R1510
Matt Champagne Gold	PEB/U3.0.1-411	2TAZ730300R4110



6342-825-101-500

ABB i-bus®KNX sensor PEONIA® control element 5/10-fold, FM

With integrated bus coupling unit and temperature sensor.
Proximity sensor, device locking and energy saving function.
Switch contact left/right. Replaceable rocker without icon.
Push button function: switching/dimming/blind/value sending/step-type switch/light-scene Individual programmable LED per rocker. Top and bottom ambient LED strip.
LED colour: red/green/yellow/blue/red-orange/violet/white.
Dimensions (L x W): 144 mm x 86 mm.

Description	Article code	Order code
Gross White	PEB/U5.0.1-002	2TAZ730500R0020
Matt White	PEB/U5.0.1-001	2TAZ730500R0010
Matt Black	PEB/U5.0.1-201	2TAZ730500R2010
Matt Silver	PEB/U5.0.1-131	2TAZ730500R1310
Matt Platinum	PEB/U5.0.1-151	2TAZ730500R1510
Matt Champagne Gold	PEB/U5.0.1-411	2TAZ730500R4110



6342-825-101-500

ABB i-bus®KNX sensor PEONIA® control element 2/4-fold with Rroom Temperature Controller, FM

With integrated bus coupling unit and temperature sensor. Proximity sensor, device locking and energy saving function Switch contact left/right. Replaceable rocker without icon. Push button function: switching/dimming/blind/value sending/step-type switch/ lightscene/ fan function.

With base-load operation.

The controller is a constant room temperature controller for ventilator convectors (fan-coil) in 2 and 4 pipe system and conventional heating and cooling systems.

The fan stage can be switched manually or automatic mode.

Delicated capacitive touch RTC control button with vibration feedback, Single/Master/Slave configuration.

LCD display: Setpoint/actual temperature, Fan speed, Operating state, Operating mode.

Configurable: time, PM2.5, CO2, Humidity, VOC, temperature, Dynamic animation for dimming, blind, scene.

Individual programmable LED per rocker. Top and bottom ambient LED strip.

LED colour: red/green/yellow/blue/red-orange/violet/white.

Temperature range (device): -5°C to 45°C. Dimensions (L x W): 86 mm x 86 mm.

Description	Article code	Order code
Gross White	PEBR/U2.0.1-002	2TAZ730210R0020
Matt White	PEBR/U2.0.1-001	2TAZ730210R0010
Matt Black	PEBR/U2.0.1-201	2TAZ730210R2010
Matt Silver	PEBR/U2.0.1-131	2TAZ730210R1310
Matt Platinum	PEBR/U2.0.1-151	2TAZ730210R1510
Matt Champagne Gold	PEBR/U2.0.1-411	2TAZ730210R4110



6342-825-101-500

ABB i-bus®KNX sensor PEONIA® control element 3/6-fold with Rroom Temperature Controller, FM

With integrated bus coupling unit and temperature sensor.

Proximity sensor, device locking and energy saving function.

Switch contact left/right. Replaceable rocker without icon.

Push button function: switching/dimming/blind/value sending/step-type switch/light- scene/ fan function. With base-load operation.

The controller is a constant room temperature controller for ventilator convectors (fan-coil) in 2 and 4 pipe system and conventional heating and cooling systems. The fan stage can be switched manually or automatic mode.

Delicated capacitive touch RTC control button with vibration feedback, Single/Master/Slave configuration.

LCD display: Setpoint/actual temperature, Fan speed, Operating state, Operating mode.

Configurable: time, PM2.5, CO2, Humidity, VOC, temperature, Dynamic animation for dim- ming, blind, scene.

Individual programmable LED per rocker. Top and bottom ambient LED strip.

LED colour: red/green/yellow/blue/red-orange/violet/white.

Temperature range (device): -5°C to 45°C. Dimensions (L x W): 105 mm x 86 mm.

Description	Article code	Order code
Gross White	PEBR/U3.0.1-002	2TAZ730310R0020
Matt White	PEBR/U3.0.1-001	2TAZ730310R0010
Matt Black	PEBR/U3.0.1-201	2TAZ730310R2010
Matt Silver	PEBR/U3.0.1-131	2TAZ730310R1310
Matt Platinum	PEBR/U3.0.1-151	2TAZ730310R1510
Matt Champagne Gold	PEBR/U3.0.1-411	2TAZ730310R4110



6342-825-101-500

ABB i-bus®KNX sensor PEONIA® control element 5/10-fold with Rroom Temperature Controller, FM

With integrated bus coupling unit and temperature sensor. Proximity sensor, device locking and energy saving function.

Switch contact left/right. Replaceable rocker without icon.

Push button function: switching/dimming/blind/value sending/step-type switch/ lightscene/ fan function.

With base-load operation. The controller is a constant room temperature controller for ventilator convectors (fan-coil).

In 2 and 4 pipe system and conventional heating and cooling systems. The fan stage can be switched manually or automatic mode.

Delicated capacitive touch RTC control button with vibration feedback, Single/Master/Slave configuration.

LCD display: Setpoint/actual temperature, Fan speed, Operating state, Operating mode.

Configurable: time, PM2.5, CO2, Humidity, VOC, temperature, Dynamic animation for dimming, blind, scene.

Individual programmable LED per rocker. Top and bottom ambient LED strip.

LED colour: red/green/yellow/blue/red-orange/violet/white.

Temperature range (device): -5°C to 45°C. Dimensions (L x W): 141 mm x 86 mm.

Description	Article code	Order code
Gross White	PEBR/U5.0.1-002	2TAZ730510R0020
Matt White	PEBR/U5.0.1-001	2TAZ730510R0010
Matt Black	PEBR/U5.0.1-201	2TAZ730510R2010
Matt Silver	PEBR/U5.0.1-131	2TAZ730510R1310
Matt Platinum	PEBR/U5.0.1-151	2TAZ730510R1510
Matt Champagne Gold	PEBR/U5.0.1-411	2TAZ730510R4110

Replaceable rocker without icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U2.0.1-xxx

Dimensions (L x W): 43 mm x 78 mm.

Description	Article code	Order code
Gross White	PESX/2.10.1-002	2TAZ730000R0020
Matt White	PESX/2.10.1-001	2TAZ730000R0010
Matt Black	PESX/2.10.1-201	2TAZ730000R2010
Matt Silver	PESX/2.10.1-131	2TAZ730000R1310
Matt Platinum	PESX/2.10.1-151	2TAZ730000R1510
Matt Champagne Gold	PESX/2.10.1-411	2TAZ730000R4110

Replaceable rocker with lighting icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U2.0.1-xxx

Dimensions (L x W): 43 mm x 78 mm.

Description	Article code	Order code
Gross White	PESB/2.10.1-002	2TAZ730000R0021
Matt White	PESB/2.10.1-001	2TAZ730000R0011
Matt Black	PESB/2.10.1-201	2TAZ730000R2011
Matt Silver	PESB/2.10.1-131	2TAZ730000R1311
Matt Platinum	PESB/2.10.1-151	2TAZ730000R1511
Matt Champagne Gold	PESB/2.10.1-411	2TAZ730000R4111

Replaceable rocker with dimming icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U2.0.1-xxx

Dimensions (L x W): 43 mm x 78 mm.

Description	Article code	Order code
Gross White	PESD/2.10.1-002	2TAZ730000R0024
Matt White	PESD/2.10.1-001	2TAZ730000R0014
Matt Black	PESD/2.10.1-201	2TAZ730000R2014
Matt Silver	PESD/2.10.1-131	2TAZ730000R1314
Matt Platinum	PESD/2.10.1-151	2TAZ730000R1514
Matt Champagne Gold	PESD/2.10.1-411	2TAZ730000R4114



6342-825-101-500

Replaceable rocker with blind icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U2.0.1-xxx
Dimensions (L x W): 43 mm x 78 mm.

Description	Article code	Order code
Gross White	PESJ/2.10.1-002	2TAZ730000R0023
Matt White	PESJ/2.10.1-001	2TAZ730000R0013
Matt Black	PESJ/2.10.1-201	2TAZ730000R2013
Matt Silver	PESJ/2.10.1-131	2TAZ730000R1313
Matt Platinum	PESJ/2.10.1-151	2TAZ730000R1513
Matt Champagne Gold	PESJ/2.10.1-411	2TAZ730000R4113



6342-825-101-500

Replaceable rocker with temperature icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U2.0.1-xxx
Dimensions (L x W): 43 mm x 78 mm.

Description	Article code	Order code
Gross White	PESR/2.10.1-002	2TAZ730000R0022
Matt White	PESR/2.10.1-001	2TAZ730000R0012
Matt Black	PESR/2.10.1-201	2TAZ730000R2012
Matt Silver	PESR/2.10.1-131	2TAZ730000R1312
Matt Platinum	PESR/2.10.1-151	2TAZ730000R1512
Matt Champagne Gold	PESR/2.10.1-411	2TAZ730000R4112



6342-825-101-500

Replaceable rocker with fan icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U2.0.1-xxx
Dimensions (L x W): 43 mm x 78 mm.

Description	Article code	Order code
Gross White	PESF/2.10.1-002	2TAZ730000R0025
Matt White	PESF/2.10.1-001	2TAZ730000R0015
Matt Black	PESF/2.10.1-201	2TAZ730000R2015
Matt Silver	PESF/2.10.1-131	2TAZ730000R1315
Matt Platinum	PESF/2.10.1-151	2TAZ730000R1515
Matt Champagne Gold	PESF/2.10.1-411	2TAZ730000R4115



6342-825-101-500

Replaceable rocker with scene icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U2.0.1-xxx
Dimensions (L x W): 43 mm x 78 mm.

Description	Article code	Order code
Gross White	PESZ/2.10.1-002	2TAZ730000R0026
Matt White	PESZ/2.10.1-001	2TAZ730000R0016
Matt Black	PESZ/2.10.1-201	2TAZ730000R2016
Matt Silver	PESZ/2.10.1-131	2TAZ730000R1316
Matt Platinum	PESZ/2.10.1-151	2TAZ730000R1516
Matt Champagne Gold	PESZ/2.10.1-411	2TAZ730000R4116



6342-825-101-500

Replaceable rocker without icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U3.0.1-xxx, PEB/U5.0.1-xxx
Dimensions (L x W): 29 mm x 78 mm.

Description	Article code	Order code
Gross White	PESX/35.10.1-002	2TAZ730001R0020
Matt White	PESX/35.10.1-001	2TAZ730001R0010
Matt Black	PESX/35.10.1-201	2TAZ730001R2010
Matt Silver	PESX/35.10.1-131	2TAZ730001R1310
Matt Platinum	PESX/35.10.1-151	2TAZ730001R1510
Matt Champagne Gold	PESX/35.10.1-411	2TAZ730001R4110



6342-825-101-500

Replaceable rocker with lighting icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U3.0.1-xxx, PEB/U5.0.1-xxx
Dimensions (L x W): 29 mm x 78 mm.

Description	Article code	Order code
Gross White	PESB/35.10.1-002	2TAZ730001R0021
Matt White	PESB/35.10.1-001	2TAZ730001R0011
Matt Black	PESB/35.10.1-201	2TAZ730001R2011
Matt Silver	PESB/35.10.1-131	2TAZ730001R1311
Matt Platinum	PESB/35.10.1-151	2TAZ730001R1511
Matt Champagne Gold	PESB/35.10.1-411	2TAZ730001R4111



6342-825-101-500

Replaceable rocker with dimming icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U3.0.1-xxx, PEB/U5.0.1-xxx
Dimensions (L x W): 29 mm x 78 mm.

Description	Article code	Order code
Gross White	PESD/35.10.1-002	2TAZ730001R0024
Matt White	PESD/35.10.1-001	2TAZ730001R0014
Matt Black	PESD/35.10.1-201	2TAZ730001R2014
Matt Silver	PESD/35.10.1-131	2TAZ730001R1314
Matt Platinum	PESD/35.10.1-151	2TAZ730001R1514
Matt Champagne Gold	PESD/35.10.1-411	2TAZ730001R4114



6342-825-101-500

Replaceable rocker with blind icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U3.0.1-xxx, PEB/U5.0.1-xxx
Dimensions (L x W): 29 mm x 78 mm.

Description	Article code	Order code
Gross White	PESJ/35.10.1-002	2TAZ730001R0023
Matt White	PESJ/35.10.1-001	2TAZ730001R0013
Matt Black	PESJ/35.10.1-201	2TAZ730001R2013
Matt Silver	PESJ/35.10.1-131	2TAZ730001R1313
Matt Platinum	PESJ/35.10.1-151	2TAZ730001R1513
Matt Champagne Gold	PESJ/35.10.1-411	2TAZ730001R4113



6342-825-101-500

Replaceable rocker with temperature icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U3.0.1-xxx, PEB/U5.0.1-xxx
Dimensions (L x W): 29 mm x 78 mm.

Description	Article code	Order code
Gross White	PESR/35.10.1-002	2TAZ730001R0022
Matt White	PESR/35.10.1-001	2TAZ730001R0012
Matt Black	PESR/35.10.1-201	2TAZ730001R2012
Matt Silver	PESR/35.10.1-131	2TAZ730001R1312
Matt Platinum	PESR/35.10.1-151	2TAZ730001R1512
Matt Champagne Gold	PESR/35.10.1-411	2TAZ730001R4112



6342-825-101-500

Replaceable rocker with fan icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U3.0.1-xxx, PEB/U5.0.1-xxx
Dimensions (L x W): 29 mm x 78 mm.

Description	Article code	Order code
Gross White	PESF/35.10.1-002	2TAZ730001R0025
Matt White	PESF/35.10.1-001	2TAZ730001R0015
Matt Black	PESF/35.10.1-201	2TAZ730001R2015
Matt Silver	PESF/35.10.1-131	2TAZ730001R1315
Matt Platinum	PESF/35.10.1-151	2TAZ730001R1515
Matt Champagne Gold	PESF/35.10.1-411	2TAZ730001R4115



6342-825-101-500

Replaceable rocker with scene icon for ABB i-bus®KNX sensor PEONIA® control element, PEB/U3.0.1-xxx, PEB/U5.0.1-xxx

Dimensions (L x W): 29 mm x 78 mm.

Description	Article code	Order code
Gross White	PESZ/35.10.1-002	2TAZ730001R0026
Matt White	PESZ/35.10.1-001	2TAZ730001R0016
Matt Black	PESZ/35.10.1-201	2TAZ730001R2016
Matt Silver	PESZ/35.10.1-131	2TAZ730001R1316
Matt Platinum	PESZ/35.10.1-151	2TAZ730001R1516
Matt Champagne Gold	PESZ/35.10.1-411	2TAZ730001R4116



6342-825-101-500

Replaceable rocker without icon for ABB i-bus®KNX sensor PEONIA® control element, PEBR/Ux.0.1-xxx

Dimensions (L x W): 18 mm x 78 mm.

Description	Article code	Order code
Gross White	PESX/235.10.1-002	2TAZ730010R0020
Matt White	PESX/235.10.1-001	2TAZ730010R0010
Matt Black	PESX/235.10.1-201	2TAZ730010R2010
Matt Silver	PESX/235.10.1-131	2TAZ730010R1310
Matt Platinum	PESX/235.10.1-151	2TAZ730010R1510
Matt Champagne Gold	PESX/235.10.1-411	2TAZ730010R4110



6342-825-101-500

Replaceable rocker with lighting icon for ABB i-bus®KNX sensor PEONIA® control element, PEBR/Ux.0.1-xxx

Dimensions (L x W): 18 mm x 78 mm.

Description	Article code	Order code
Gross White	PESB/235.10.1-002	2TAZ730010R0021
Matt White	PESB/235.10.1-001	2TAZ730010R0011
Matt Black	PESB/235.10.1-201	2TAZ730010R2011
Matt Silver	PESB/235.10.1-131	2TAZ730010R1311
Matt Platinum	PESB/235.10.1-151	2TAZ730010R1511
Matt Champagne Gold	PESB/235.10.1-411	2TAZ730010R4111



6342-825-101-500

Replaceable rocker with dimming icon for ABB i-bus®KNX sensor PEONIA® control element, PEBR/Ux.0.1-xxx

Dimensions (L x W): 18 mm x 78 mm.

Description	Article code	Order code
Gross White	PESD/235.10.1-002	2TAZ730010R0024
Matt White	PESD/235.10.1-001	2TAZ730010R0014
Matt Black	PESD/235.10.1-201	2TAZ730010R2014
Matt Silver	PESD/235.10.1-131	2TAZ730010R1314
Matt Platinum	PESD/235.10.1-151	2TAZ730010R1514
Matt Champagne Gold	PESD/235.10.1-411	2TAZ730010R4114



6342-825-101-500

Replaceable rocker with blind icon for ABB i-bus®KNX sensor PEONIA® control element, PEBR/Ux.0.1-xxx

Dimensions (L x W): 18 mm x 78 mm.

Description	Article code	Order code
Gross White	PESJ/235.10.1-002	2TAZ730010R0023
Matt White	PESJ/235.10.1-001	2TAZ730010R0013
Matt Black	PESJ/235.10.1-201	2TAZ730010R2013
Matt Silver	PESJ/235.10.1-131	2TAZ730010R1313
Matt Platinum	PESJ/235.10.1-151	2TAZ730010R1513
Matt Champagne Gold	PESJ/235.10.1-411	2TAZ730010R4113



6342-825-101-500

Replaceable rocker with temperature icon for ABB i-bus®KNX sensor PEONIA® control element, PEBR/Ux.0.1-xxx

Dimensions (L x W): 18 mm x 78 mm.

Description	Article code	Order code
Gross White	PESR/235.10.1-002	2TAZ730010R0022
Matt White	PESR/235.10.1-001	2TAZ730010R0012
Matt Black	PESR/235.10.1-201	2TAZ730010R2012
Matt Silver	PESR/235.10.1-131	2TAZ730010R1312
Matt Platinum	PESR/235.10.1-151	2TAZ730010R1512
Matt Champagne Gold	PESR/235.10.1-411	2TAZ730010R4112



6342-825-101-500

Replaceable rocker with fan icon for ABB i-bus®KNX sensor PEONIA® control element, PEBR/Ux.0.1-xxx

Dimensions (L x W): 18 mm x 78 mm.

Description	Article code	Order code
Gross White	PESF/235.10.1-002	2TAZ730010R0025
Matt White	PESF/235.10.1-001	2TAZ730010R0015
Matt Black	PESF/235.10.1-201	2TAZ730010R2015
Matt Silver	PESF/235.10.1-131	2TAZ730010R1315
Matt Platinum	PESF/235.10.1-151	2TAZ730010R1515
Matt Champagne Gold	PESF/235.10.1-411	2TAZ730010R4115



6342-825-101-500

Replaceable rocker with scene icon for ABB i-bus®KNX sensor PEONIA® control element, PEBR/Ux.0.1-xxx

Dimensions (L x W): 18 mm x 78 mm.

Description	Article code	Order code
Gross White	PESZ/235.10.1-002	2TAZ730010R0026
Matt White	PESZ/235.10.1-001	2TAZ730010R0016
Matt Black	PESZ/235.10.1-201	2TAZ730010R2016
Matt Silver	PESZ/235.10.1-131	2TAZ730010R1316
Matt Platinum	PESZ/235.10.1-151	2TAZ730010R1516
Matt Champagne Gold	PESZ/235.10.1-411	2TAZ730010R4116

NOTES

Additional information
We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB AG does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB AG.





—
ABB Ltd.

More information

